

**1-776163-1** ACTIVE**AMP | AMPSEAL**

TE Internal #: 1-776163-1

Right Angle, Wire-to-Board, 35 Position, 3 Row, 4mm [.157in]

Centerline, Gold (Au), Sealable, Printed Circuit Board, AMPSEAL

[View on TE.com >](#)

Automotive Parts &gt; Automotive Connectors &gt; Automotive Headers &gt; AMPSEAL PCB Right-Angle Headers

PCB Mount Orientation: **Right Angle**Contact Current Rating (Max): **17 A**Termination Method to PCB: **Through Hole - Solder**Sealable: **Yes**Centerline (Pitch): **4 mm [.157 in]**[All AMPSEAL PCB Right-Angle Headers \(63\)](#)

## Features

### Product Type Features

Header Type	Fully Shrouded
Connector Product Type	Connector Assembly
Sealable	Yes
Connector System	Wire-to-Board
Connector & Contact Terminates To	Printed Circuit Board

### Configuration Features

PCB Mount Orientation	Right Angle
Number of Positions	35
Number of Rows	3

### Body Features

Connector & Keying Code	1
Primary Product Color	Black

### Contact Features

Contact Type	Pin
Contact Current Rating (Max)	17 A
Contact Mating Area Plating Material	Gold (Au)

### Termination Features

Termination Method to PCB	Through Hole - Solder
---------------------------	-----------------------

### Mechanical Attachment

Mating Alignment	With
PCB Mount Alignment	With
PCB Mount Retention	With
Connector Mounting Type	Board Mount

### Housing Features

Centerline (Pitch)	4 mm [.157 in]
--------------------	----------------

### Usage Conditions

Operating Temperature Range	-40 – 125 °C [-40 – 257 °F]
-----------------------------	-----------------------------

### Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

### Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

### Packaging Features

Packaging Method	Tray
------------------	------

### Product Compliance

For compliance documentation, visit the product page on [TE.com](http://TE.com)>

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
--	---

Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
-----------------	--

Solder Process Capability	Wave solder capable to 265°C
---------------------------	------------------------------


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts




TE Part # 2454990-1  
PLUG ASSEMBLY,35 POSITION,  
AMPSEAL,CODE A




TE Part # CAT-AM78-CH8172  
AMPSEAL Receptacle Housings

## Also in the Series | AMPSEAL



Automotive Terminals(8)



Other Automotive Connector  
Accessories(2)

## Customers Also Bought



TE Part #1010-130-0406  
SEAL, INTF, 4P, GRN, HI TEMP, DTP




TE Part #544891-E  
SRCP 2,54 8 M 1-KS SMD 137 E1 166 \*  
GURT



TE Part #213889-2  
CPC RECPT SEALED,SIZE 17-3



TE Part #1-776163-4  
35POS,AMPSEAL,PIN HSG ASSY,SLD,  
COD 4

TE Part #5-1393302-2  
V23134A0053G243-EV-CBOXTE Part #1554901-1  
SHIELD FINGER 2011 EMBOSSED  
PACKINGTE Part #2394925-2  
1P,MATE-AX,HDR ASSY,90DEG,COD  
BTE Part #484275-E  
SRCA 2,54 5 M 1 SMD 137 E1 094 \*  
GURT OZTE Part #1SNA050000R1100  
50PLTVVTE Part #1SNA117263R2400  
ACPS-5

## Documents

### Product Drawings

[35POS,PIN DIA 1.3,HDR ASSY,90DEG,COD 1](#)

English

### CAD Files

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_1-776163-1\\_T.2d\\_dxf.zip](#)

English

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_1-776163-1\\_T.3d\\_igs.zip](#)

English

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_1-776163-1\\_T.3d\\_stp.zip](#)

English

### 3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[AMPSEAL Connector Series](#)

English

[AMPSEAL Connector Catalog](#)

English

[ICT Terminals and Connectors Catalogue](#)

English

### Product Specifications

### [Application Specification](#)

English

---

### [Agency Approvals](#)

[UL Report](#)

English